

ISM-OV8865

IMAGE SENSOR MODULE

OMNIVISION'S OV8865 brings a combination of resolution and durability to iENSO's embedded ecosystem. The OV8865 sensor delivers a powerful combination of features: 8-megapixel resolution, OmniBSI-2 back-illuminated pixel design, robust chip-on-board package, wide temperature range, and power consumption below 200 mW. The OV8865 sensor's 1/3.2" lens format is a fit with many off-the-shelf M12 miniature board mount lenses.

APPLICATIONS


- Action cameras
- AR/VR
- After-market automotive
- Mobile
- Teleconference
- Embedded Vision

KEY SPECIFICATIONS


- Framerate: 8M at 30 fps, 1080p30, 720p30 over 4-lane MIPI CSI-2 10-bit interface.
- Pixel details: 1.4 μm , 3264 x 2448 array (4:3), OmniBSI-2 pixel architecture, rolling shutter, CRA 32.2° (nonlinear).
- Package/Environmental: COB, 8.5 mm x 8.5 mm. Junction temp. -30°C to 85°C. Power consumption 196 mW.



SPECTRAL RESPONSE



CHIEF RAY ANGLE



iENSO.COM

iENSO Global Headquarters

20 Mural St. Unit 7
Richmond Hill (ON) L4B 1K3, Canada
(905) 763-6938 | mail@iENSO.com

Manufacturing Operations China

News Building
1002 Shennan Road, Room 1603
Shenzhen, Guangdong, P. R. China

Maker	ON Semiconductor		Silicon Optonics		ON Semi	Sony	OmniVision	Sony
Sensor	AR0144	AR0130	JX-F22	JX-K02	AR0521	IMX326	OV8865	IMX317
Megapixels	1.0	1.2	2.1	4.1	5.0	6.8	8.0	8.3 (4K)
Fps	60	45	60	60	30	30	30	32.8
Optical format	1/4	1/3	1/2.7	1/2.6	1/2.5	1/2.9	1/3.2	1/2.5
Pixel size (Mm)	3.0	3.75	3.0	2.2	2.2	1.62	1.4	1.62
Benefits	Stop motion Very compact Low power	Large pixels Low-light use Near-IR	Automatic Compact Low power	Automatic On-chip ISP Compact	Low light HDR LSC	High image quality DOL-HDR	Low power Very robust Compact	True 4K UHD image quality DOL-HDR
Applications	Biometrics, VR/AR, Drones	Gaming, Security, near-IR	Security, Action, In-car, Drones	Security, Facial recognition	In-car, Action Industrial, Security	Security, Action, In-car use	VR/AR, Wearables, Drones, In-car	Action, VR/AR, In-car use

THE RIGHT EMBEDDED VISION SYSTEM FOR YOUR APPLICATION

CONSISTENT QUALITY: From six-axis lens alignment to consistently accurate color quality, to AI and ubiquitous connectivity, we guarantee that every iENSO embedded vision system will perform to spec.

SECURE SUPPLY: With iENSO engineers on the floor in all of our manufacturing partner facilities, we guarantee the quality and quantity of supply you need to make your application a success.

COMPELLING ECONOMICS: With our years of experience in the design and development of industrial, machine and consumer vision technologies, we can provide a cost-effective, no compromise embedded vision solution for your application.

ABOUT iENSO

Established in 2003, iENSO provides imaging and wireless solutions that are helping global brands take their products to the next level in the age of embedded systems and AI platforms. iENSO accelerates the deployment of innovative imaging and wireless products in a wide range of verticals such as IoT, home automation, automotive,

drones, professional entertainment, robotics, remote surveillance and security. With offices in Canada and China, iENSO has perfected the engineering ecosystems that exist between initial design and high-volume manufacturing.



iENSO Global Headquarters

20 Mural St. Unit 7
Richmond Hill (ON) L4B 1K3, Canada
(905) 763-6938 | mail@iENSO.com

Manufacturing Operations China

News Building
1002 Shennan Road, Room 1603
Shenzhen, Guangdong, P. R. China